




# PRECISION BEARING CORP.

## 38 mm x 63 mm x 17 mm Z9504AB Bearing

Bearing No. JL69349/JL69310



JL69349/JL69310 Bearing 2D drawings and 3D CAD models

Size	38x63x17 mm
Bore Diameter	38 mm
Outer Diameter	63 mm
Width	17 mm
d	38 mm
D	63 mm
T	17 mm
B	17 mm
C	13,5 mm
ra1 max.	1,3 mm
a	14,6 mm
r1 min.	1,3 mm
Da	56 mm
db	42,5 mm
ra max.	3,5 mm
da	49 mm
Db	60 mm
Weight	0,203 Kg
Basic dynamic load rating (C)	38,5 kN
Basic static load rating (C0)	52 kN
(Grease) Lubrication Speed	5600 r/min
(Oil) Lubrication Speed	7500 r/min
Calculation factor (e)	0,42
Calculation factor (Y0)	0,79
LangID	1
ALP23	0



# PRECISION BEARING CORP.

outer r	1.3
ALP22	0
D_	63
ALP21	31
SHOG_yobi	JL69349/JL69310
RAr	109.82
inner r	SPEC
GRS rpm	5600
D_b	60
D_a	56
DE_	55.651
SLR	11.5
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	15.5
SDM_	50.286
DA1	6.069
DA2	5.435
hidYobi	JL69349/JL69310
Y1	1.4
B_	17
Oil rpm	7500
hidTable	ecat_NSTPRI
Y0	0.79
inner ra	3.5
outer rb	1.3
C0	52
CUP	0.071
e	0.42
DA_	5.611
BET21	3
BET22	10



## PRECISION BEARING CORP.

BET23	0
Z_	22
C_	13.5
yobi	JL69349/JL69310
KBRG	3141
CONE	0.132
DI_	44.764