




# PRECISION BEARING CORP.

## 40 mm x 62 mm x 30 mm GE110ES Bearings

Bearing No. NKIA5908



NKIA5908 Bearing 2D drawings and 3D CAD models

Size	40x62x30 mm
Bore Diameter	40 mm
Outer Diameter	62 mm
Width	30 mm
d	40 mm
D	62 mm
B	30 mm
F	48 mm
r <sub>min</sub>	0,6 mm
m	315 g / Weight
C <sub>r</sub>	48500 N / Dynamic load rating (radial)
C <sub>0r</sub>	67000 N / Static load rating (radial)
C <sub>a</sub>	9200 N / Dynamic load rating (axial)
C <sub>0a</sub>	19400 N / Static load rating (axial)
C <sub>ur</sub>	11500 N / Fatigue limit load, radial
C <sub>ua</sub>	860 N / Fatigue limit load, axial
n <sub>G</sub>	9600 1/min / Limiting speed
Category	Thrust Roller Bearing
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.32



# PRECISION BEARING CORP.

EAN	4012802059649
Product Group	B04144
Rolling Element	Combination - Needle Roller and Thrust Ball Bearing
Self Aligning	No
Component Description	Roller Assembly plus Raceways
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1   ISO P0
Long Description	40MM Bore 1; 40MM Bore 2; 62MM Outside Diameter; 30MM Height; Combination - Needle Roller and Thrust Ball Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1   ISO P0; Roller
Inch - Metric	Metric
Category	Thrust Roller Bearings
UNSPSC	31171537
Harmonized Tariff Code	8482.80.00.40
Noun	Bearing
Keyword String	Combination
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	NKIA5908
Weight / LBS	0.695
Outside Diameter	2.441 Inch   62 Millimeter
Overall Height with Aligning Washer	0 Inch   0 Millimeter
Bore 2	1.575 Inch   40 Millimeter
Bore 1	1.575 Inch   40 Millimeter



# PRECISION BEARING CORP.

Height	1.181 Inch   30 Millimeter
--------	----------------------------